

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seaciffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|--|---|---|---|--|---|--|---|---|---|---|--|
| 5 | | | Banksia Heath | | | | | | x | | | | | x |
| 22 | Z | | Coast Cypress Pine / Coastal Complex | | | | | | x | | | | | |
| 23 | E14 | | Coast Range Bloodwood-Mahogany | | | | | | x | | | | | |
| 26 | E7 | | Coastal Flooded Gum / Wet Sclerophyll | | | | | | x | | x | x | | |
| 27 | E6 | | Coastal Sands Blackbutt / Dry Sclerophyll | | | | | | | | | | | |
| 32 | E6 | | Dry Foothills Blackbutt-Turpentine / Wet Sclerophyll | | | | | | | | | | | |
| 34 | E6 | | Dry Grassy Blackbutt-Tallowwood / Dry Sclerophyll | | | | | | | | | | | |
| 36 | E8 | | Dry Grassy Tallowwood-Grey Gum / Dry Sclerophyll | | | | | | x | | | | | |
| 46 | E11 | | Eastern Red Gums / Dry Sclerophyll | | | | | | x | | x | | x | |
| 47 | E11 | | Escarpment Redgum / Dry Sclerophyll | | | | | | x | | | | | |
| 64 | Z | | Heath | | | | x | | | x | | | | |

Appendix C – Candidate EEC Floristic Associations

Appendix C – Candidate EEC Floristic Associations

Page 2.

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seacliffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|--|---|---|---|--|---|--|---|---|---|---|---|
| 65 | E13 | | Heathy Scribbly Gum / Dry Sclerophyll | | | | | | | | | | | |
| 72 | E6 | | Low Relief Coastal Blackbutt / Dry Sclerophyll | | | | | | | | | | | |
| 73 | E11 | | Lowland Red Gum / Dry Sclerophyll | | | | | | x | | x | | x | |
| 74 | E13 | | Lowlands Scribbly Gum / Dry Sclerophyll | | | | | | | | | | | |
| 77 | Y | | Mangrove / Wetland | | x | | | | | | | | | |
| 96 | A | | Natural grassland | | | | | | | | | | | x |
| 106 | E7 | | Open Coastal Brushbox / Wet Sclerophyll | x | | | | | | | | | | |
| 112 | FP | | Paperbark / Wetland | | | | | | | x | | | | |
| 120 | FR | | River Oak / Riparian Forest | | | | | | x | | x | | | |
| 121 | K | | Rock / Rocky Outcrop | | | | | | | | | | | x |
| 125 | Y | | Saltmarsh / Wetland | | x | | | | | | | | | |
| 141 | S | | Swamp / Wetland | | | | x | | | | | | | |

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seaciffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|--|---|---|---|--|---|--|---|---|---|---|--|
| 142 | E5 | | Swamp Mahogany / Dry Sclerophyll | | | | | x | x | x | | | | |
| 143 | FP | | Swamp Oak / Wetland | | | | | x | | | | | | |
| 151 | FW | | Wattle / Scrubland | | | | | | x | | | | | |
| 154 | E7 | | Wet Flooded Gum Tallowwood / Wet Sclerophyll | | | | | | x | | x | x | | |
| 164 | Pp | | Agricultural plantations | | | | | | | | | | | |
| 165 | Pn | | Hardwood Plantations / Plantations | | | | | | | | | | | |
| 168 | R | | Rainforest | x | | x | | | | | | x | | |
| 170 | Ex | | Settlements Roads Gravel | | | | | | | | | | | |
| 171 | S | | Water Surfaces | | | | x | | | | | | | |
| 172 | A | | Sand Ridge | | | | | | | | | | | |
| 173 | Ex | | Cleared, partly cleared | | | | | | | | | | | |
| 201 | C | | Camphor Laurel | | | | | | x | | | | | |

Appendix C – Candidate EEC Floristic Associations

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seaciffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|---|---|---|---|--|---|--|---|---|---|---|--|
| | E13E14 | | Scribbly Gums ~ Bloodwood/Apple | | | | | | | | | | | |
| | E13E6 | | Scribbly Gums ~ Blackbutt | | | | | | | | | | | |
| | E13E8 | | Scribbly Gums ~ Grey Gum-Grey Ironbark-Mahogany complex | | | | | | | | | | | |
| | E14E6 | | Bloodwood/Apple ~ Blackbutt | | | | | | x | | | | | |
| | E14E8 | | Bloodwood/Apple ~ Grey Gum-Grey Ironbark-Mahogany complex | | | | | | x | | | | | |
| | E5E13 | | Swamp Forest ~ Scribbly Gums | | | | | x | x | x | | | | |
| | E6E12 | | Blackbutt Needlebark Stringybark | | | | | | | | | | | |
| | E6E13 | | Blackbutt ~ Scribbly Gums | | | | | | | | | | | |
| | E6E14 | | Blackbutt ~ Bloodwood/Apple | | | | | | | | | | | |
| | E6E7 | | Blackbutt ~ Moist Coastal Complex | x | | | | | x | | x | x | | |
| | E6E8 | | Blackbutt ~ Grey Gum-Grey Ironbark-Mahogany complex | | | | | | x | | | | | |
| | E6E9 | | Blackbutt ~ Spotted Gum complex | | | | | | | | | | | |

Appendix C – Candidate EEC Floristic Associations

Appendix C – Candidate EEC Floristic Associations

Page 6.

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seacliffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|---|---|---|---|--|---|--|---|---|---|---|---|
| | E7E6 | | Moist Coastal complex ~ Blackbutt | | | | | | x | | x | x | | |
| | E7E8 | | Moist Coastal complex ~ Grey Gum-Grey Ironbark-Mahogany complex | | | | | | x | | x | x | | |
| | E8E11 | | Grey Gum-Grey Ironbark-Mahogany complex ~ Eastern Red Gums | | | | | | x | | x | | x | |
| | E8E13 | | Grey Gum-Grey Ironbark-Mahogany complex ~ Scribbly Gums | | | | | | x | | | | | |
| | E8E14 | | Grey Gum-Grey Ironbark-Mahogany complex ~ Bloodwood/Apple | | | | | | x | | | | | |
| | E8E5 | | Grey Gum-Grey Ironbark-Mahogany complex ~ Swamp Forest | | | | | | x | x | | | | |
| | E8E6 | | Grey Gum-Grey Ironbark-Mahogany complex ~ Blackbutt | | | | | | x | | | | | |
| | E8E7 | | Grey Gum-Grey Ironbark-Mahogany complex ~ Moist Coastal complex | | | | | | x | | | | | |

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seaciffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|---|---|---|---|--|---|--|---|---|---|---|--|
| | E8E9 | | Grey Gum-Grey Ironbark-Mahogany complex ~ Spotted Gum complex | | | | | | x | | | | | |
| | E9E8 | | Spotted Gum complex ~ Grey Gum-Grey Ironbark-Mahogany complex | | | | | | | | | | | |
| | FpFw | | Paperbark complex ~ Wattle / Native Pioneers | | | | | x | x | x | | | | |
| | FpS | | Paperbark complex ~ Sedgeland | | | | | | | | | | | |
| | Fr | | River Oak Riparian Forest | | | | | | x | | x | | | |
| | Fw | | Wattle Scrubland | | | | | | | | | | | |
| | RB | | Rainforest | x | | x | | | | | | | | |
| | RE | | Rainforest | x | | x | | | | | | | | |
| | RM | | Rainforest | x | | x | | | | | | | | |
| | RZ | | Rainforest Coastal complex | x | | | | | | | | | | |
| | SFp | | Swamp Paperbark Swamp Oak | | | | | x | | x | | | | |

Appendix C – Candidate EEC Floristic Associations

Appendix C – Candidate EEC Floristic Associations

Page 8.

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seacliffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|-----------|--|---|---|---|---|--|---|--|---|---|---|---|---|
| | SZ | | Swamp Coastal complex | | | | x | | x | x | x | | | x |
| | ZY | | Estuarine coastal complex | | x | | x | | x | x | x | | | x |
| | | 05021 | Rainforest | x | | x | | | | | | | | |
| | | 05031 | Rainforest | x | | x | | | | | | | | |
| | | 05051 | Rainforest | x | | x | | | | | | | | |
| | | 35121 | <i>Eucalyptus tereticornis</i> | | | | | | x | | x | | x | |
| | | 35122 | <i>Eucalyptus tereticornis</i> | | | | | | x | | x | | x | |
| | | 35141 | <i>Lophostemon suaveolens</i> - <i>E. intermedia</i> - <i>E. tereticornis</i> | | | | | | x | | x | | | |
| | | 35212 | <i>Eucalyptus seeana</i> | | | | | | x | | | | | |
| | | 35281 | <i>Eucalyptus intermedia</i> | | | | | | x | | | | | |
| | | 35331 | <i>Eucalyptus intermedia</i> - <i>E. tereticornis</i> | | | | | | x | | x | | | |
| | | 35431 | <i>Lophostemon suaveolens</i> | | | | | | x | | | | | |

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seaciffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|---|---|---|---|--|---|--|---|---|---|---|--|
| | | 35521 | <i>Eucalyptus tereticornis</i> - <i>E. siderophloia</i> | | | | | | x | | x | | | |
| | | 40021 | <i>Eucalyptus robusta</i> | | | | | x | x | x | | | | |
| | | 40022 | <i>Eucalyptus robusta</i> | | | | | x | x | x | | | | |
| | | 40031 | <i>Melaleuca quinquenervis</i> | | | | | x | x | x | | | | |
| | | 40031/40121 | <i>Melaleuca quinquenervia</i> / <i>Eucalyptus robusta</i> - <i>Melaleuca siberi</i> | | | | | x | | x | | | | |
| | | 40032 | <i>Melaleuca quinquenervia</i> | | | | | x | | x | | | | |
| | | 40051 | <i>Casuarina glauca</i> | | | | | x | | | | | | |
| | | 40091 | <i>Melaleuca sieberi</i> | | | | | | x | x | | | | |
| | | 40091/40021 | <i>Melaleuca sieberi</i> / <i>Eucalyptus robusta</i> | | | | | | | x | | | | |
| | | 40092 | <i>Melaleuca sieberi</i> | | | | | | | x | | | | |
| | | 40121 | <i>Eucalyptus robusta</i> - <i>Melaleuca sieberi</i> | | | | | x | x | x | | | | |

Appendix C – Candidate EEC Floristic Associations

Appendix C – Candidate EEC Floristic Associations

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seacliffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|--|---|---|---|--|---|--|---|---|---|---|---|
| | | 40981 | <i>Eucalyptus robusta</i> - <i>Melaleuca quinquenervia</i> | | | | | x | x | x | | | | |
| | | 40982 | <i>Eucalyptus robusta</i> - <i>Melaleuca quinquenervia</i> | | | | | x | x | x | | | | |
| | | 40991 | <i>Melaleuca quinquenervia</i> - <i>Casuarina glauca</i> | | | | | x | | x | | | | |
| | | 40992 | <i>Melaleuca quinquenervia</i> - <i>Casuarina glauca</i> | | | | | x | | x | | | | |
| | | 55061 | <i>Melaleuca quinquenervia</i> | | | | | x | | x | | | | |
| | | 63021 | <i>Themeda australis</i> | | | | | | | | | | | x |
| | | 64021 | <i>Baumea juncea</i> | | | | x | | | | | | | |
| | | 64031 | <i>Leptocarpus tenax</i> - <i>Restio pallens</i> - <i>Schoenus brevifolius</i> | | | | x | | | | | | | |
| | | 64041 | <i>Baumea rubiginosa</i> | | | | x | | | | | | | |
| | | 64051 | <i>Lepironia articulata</i> | | | | x | | | | | | | |
| | | 64061 | <i>Baumea articulata</i> | | | | x | | | | | | | |

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seaciffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|--|---|---|---|--|---|--|---|---|---|---|--|
| | | 64061/64041 | Baumea articulata/Baumea rubiginosa | | | | x | | | | | | | |
| | | 64061/64101 | Baumea articulata/Eleocharis sphacelata | | | | x | | | | | | | |
| | | 64101 | Eleocharis sphacelata | | | | x | | | | | | | |
| | | 64121 | Baumea arthrophylla | | | | x | | | | | | | |
| | | 65031 | Phragmites australis | | | | x | | | | | | | |
| | | 66041 | Eleocharis equisetina-Triglochin procerum s. lat.-Paspalum distichum | | | | x | | | | | | | |
| | | 90300 | Headland complex | | | | | | | | | | | x |
| | | 91040/64061 | Open water/Baumea articulata | | | | x | | | | | | | |
| | | Lookup_4 | Rainforest | x | | x | | | | | | | | |
| | | Lookup_31 | Swamp Mahogany | | | | | x | x | x | | | | |
| | | Lookup_32 | Paperbark | | | | | x | | x | | | | |

Appendix C – Candidate EEC Floristic Associations

Appendix C – Candidate EEC Floristic Associations

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seacliffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|---|---|---|---|--|---|--|---|---|---|---|---|
| | | Lookup_37 | Moist Blackbutt | | | | | | x | x | x | | | |
| | | Lookup_49 | Flooded Gum | | | | | | x | | x | | | |
| | | Lookup_61 | Narrowleaved White Mahogany - Red Mahogany - Grey Ironbark - Grey Gum | | | | | | x | | | | | |
| | | Lookup_235 | Rock | | | | | | | | | | | x |
| | | Lookup_308 | Stringybark - Bloodwood (Sub Type a) | | | | | | x | | | | | |
| | | Lookup_309 | Stringybark - Bloodwood (Sub Type b) | | | | | | x | | | | | |
| | | Lookup_497 | Rainforest | x | | x | | | | | | | | |
| | | Lookup_540 | Tallowwood - Sydney Blue Gum / (Brush Box) | | | | | | | | x | | | |
| | | Lookup_563 | Brush Box (Flooded Gum) | | | | | | | | x | | | |
| | | Lookup_592 | Grey Gum - Grey Ironbark - White Mahogany (Sub Type a) | | | | | | x | | | | | |

| Forest Ecosystem | CRAFTI | Other NP or SF Vegetation Association Mapping Codes (eg. as per Griffiths) | NAME | Candidate Littoral Rainforest in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner Bioregions | Candidate Lowland Rainforest on Floodplain in the New South Wales North Coast bioregion | Candidate Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Swamp Oak Floodplain Forest of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Subtropical Coastal Floodplain Forest of the NSW North Coast bioregion | Candidate Swamp Sclerophyll Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate River-Flat Eucalypt Forest on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions | Candidate Lowland rainforest on floodplain in the NSW North Coast Bioregion | Candidate Hunter Lowland Redgum Forest in the Sydney Basin and NSW North Coast Bioregions | Candidate <i>Themeda</i> Grassland on seacliffs and coastal headlands in the NSW North Coast, Sydney Basin and South East Corner bioregions |
|------------------|--------|--|---|---|---|---|--|---|--|---|---|---|---|---|
| | | Lookup_597 | Grey Gum - Grey Ironbark - White Mahogany (Sub Type a) / (Spotted Gum - Ironbark / Grey Gum) (Sub Type a) | | | | | | x | | | | | |
| | | Lookup_600 | Grey Gum - Grey Ironbark - White Mahogany (Sub Type o) | | | | | | x | | | | | |
| | | Lookup_603 | Grey Gum - Grey Ironbark - White Mahogany (Sub Type b) | | | | | | x | | | | | |
| | | Lookup_609 | Grey Gum - Grey Ironbark - White Mahogany (Sub Type b) / (Spotted Gum - Ironbark / Grey Gum) (Sub Type b) | | | | | | x | | | | | |

Appendix C – Candidate EEC Floristic Associations