

<b>Title</b>	Hydrogeological Landscapes for the Eastern Murray Catchment: October 2011 (First Edition)
<b>Alternative title(s)</b>	Eastern Murray Hydrogeological Landscapes - First Edition
<b>Abstract</b>	<p><i>NOTE: This dataset has been superseded by Hydrogeological Landscapes for the Eastern Murray Catchment: May 2015 (Second Edition) - <a href="https://iar.environment.nsw.gov.au/dataset/46f7bf5b-eebf-4b6e-9d8e-e45d3c7e2c52">https://iar.environment.nsw.gov.au/dataset/46f7bf5b-eebf-4b6e-9d8e-e45d3c7e2c52</a>.</i></p> <p>The Hydrogeological Landscape (HGL) concept provides a structure for the understanding of how salinity manifests itself in the landscape and how differences in salinity are expressed across the landscape. A HGL spatially defines areas of similar salt stores and pathways for salt mobilisation. The process of HGL determination relies on the integration of a number of factors: geology, soils, slope, regolith depth, and climate; an understanding of the differences in salinity development; and the impacts (land salinity/salt load/water electrical conductivity) in landscapes. Information sources such as soils maps, site characterisation, salinity site mapping, hydrogeological conditions and surface and groundwater data are combined to develop standard templates for each HGL. The focus of this dataset is the Eastern Murray study area upstream of Corowa. It comprises introductory information on HGLs; HGL templates; and maps and digital spatial data developed for the project, including derivative maps to assist in land management decision making in the Eastern Murray study area. This includes information on salinity management from the perspectives of land use design, scales and types of management, landscape function, management strategies, actions and outcomes, as well as land use to be avoided.</p>
<b>Resource locator</b>	
<a href="#">Data Quality Statement</a>	<p>Name: Data Quality Statement</p> <p>Protocol: WWW:DOWNLOAD-1.0-http--download</p> <p>Description:</p> <p>DQS - Hydrogeological Landscapes for the Eastern Murray Catchment: October 2011 (First Edition)</p> <p>Function: download</p>
<b>Unique resource identifier</b>	
<b>Code</b>	759a2c2e-6960-4704-9a28-d72f26286920
<b>Presentation form</b>	Map digital
<b>Edition</b>	First
<b>Dataset language</b>	English
<b>Metadata standard</b>	
<b>Name</b>	ISO 19115
<b>Edition</b>	2016
<b>Dataset URI</b>	<a href="https://datasets.seed.nsw.gov.au/dataset/759a2c2e-6960-4704-9a28-d72f26286920">https://datasets.seed.nsw.gov.au/dataset/759a2c2e-6960-4704-9a28-d72f26286920</a>
<b>Purpose</b>	This data package was generated for the Murray Catchment Management Authority (MCMA).
<b>Status</b>	Obsolete
<b>Spatial representation</b>	
<b>Type</b>	vector

Geometric Object Type	complex
<b>Spatial reference system</b>	
Code identifying the spatial reference system	4283
Equivalent scale	1:None
Additional information source	Source datasets: Reconnaissance Soil and Land Resources of the Murray CMA (OEH); Soil Landscapes of the Holbrook-Tallangatta 1:100,000 Sheet (8326-8325)(OEH); BIOCLIM 2009 (OEH); GEODATA TOPO 250K Series 3 (Geoscience Australia); Surface Geology of Australia 1:1 million scale, New South Wales - 2nd edition (Geoscience Australia); Wagga Wagga 1:250 000 Geological Sheet SI/55-15, 1st edition (NSW Geological Survey); Tallangatta 1:250 000 Geological Sheet SJ/55-3, first edition (NSW Geological Survey); Jerilderie 1:250 000 Geological Sheet SI/55-14, 2nd edition (NSW Geological Survey); New South Wales DTDB Landform Theme 50K Digital Terrain Models (Land and Property Management Authority); New South Wales Digital Topographic Database DTDB (Land and Property Management Authority).
<b>Topic category</b>	
<b>Keyword set</b>	
keyword value	<p>GEOSCIENCES-Geology</p> <p>GEOSCIENCES-Geomorphology</p> <p>HAZARDS</p> <p>LAND-Use</p> <p>SOIL</p> <p>WATER-Salinity</p> <p>GEOSCIENCES-Hydrogeology</p> <p>BOUNDARIES-Biophysical</p>
<b>Originating controlled vocabulary</b>	
Title	ANZLIC Search Words
Reference date	2008-05-16
<b>Geographic location</b>	
West bounding longitude	146.163
East bounding longitude	148.255
North bounding latitude	-36.484
South bounding latitude	-35.262
<b>Vertical extent information</b>	
Minimum value	-100
Maximum value	2228
<b>Coordinate reference system</b>	

Code identifying the coordinate reference system 5711

**Temporal extent**

Begin position 2008-01-07

End position N/A

**Dataset reference date****Resource maintenance**

Maintenance and update frequency Not planned

**Contact info**

Contact position Data Broker

Organisation name Department of Planning and Environment

Full postal address data.broker@environment.nsw.gov.au

Telephone number 131555

Email address [data.broker@environment.nsw.gov.au](mailto:data.broker@environment.nsw.gov.au)

Responsible party role pointOfContact

**Lineage** The hydrogeological landscape (HGL) mapping used the following base data for delineation of map units: published 1:1 million and 1:250 000 geological mapping data (polygon); published 1:250 000 soil landscape data (polygon); soil profile data from the OEH SALIS database (point); and Digital Elevation Model (DEM) for Murray CMA and derivative products taken from the 25 metre DEM. The published and reconnaissance level mapping were combined and rationalised to create complete hydrogeological landscape classification (map unit) coverage for the entire Eastern Murray study area

Limitations on public access

Scope	dataset
<b>DQ Completeness Commission</b>	
Effective date	2011-07-01
Explanation	Spatial data capture is complete for presentation and usage at 1:250 000 only.
<b>DQ Completeness Omission</b>	
Effective date	2001-01-01
<b>DQ Conceptual Consistency</b>	
Effective date	1900-01-01
<b>DQ Topological Consistency</b>	
Effective date	2011-07-01
Explanation	All polygons in the coverage are topologically correct and all polygons have been attributed. Data has been visually checked at applicable scales.
<b>DQ Absolute External Positional Accuracy</b>	
Effective date	2011-07-01
Explanation	The accuracy of the coverage varies across the mapping area as map polygon boundaries were derived from different sources. HGL boundaries derived from published and draft 1:100 000 scale mapping are generally accurate to 100 m. HGL boundaries derived from published 1:250 000 scale mapping are approximate and generally accurate to 250 m.
<b>DQ Non Quantitative Attribute Correctness</b>	
Effective date	2011-07-01
Explanation	All polygons are labelled with a hydrogeological landscape unit tag, and attributed with information relevant to salinity management. Attributes were checked as part of routine GIS capture quality assurance procedures, including a visual check of polygon tags against field data. During the fieldwork phase, regular meetings were held to discuss and review methods, processes and consistency in landscape interpretation and documentation.
<b>Responsible party</b>	
Contact position	Data Broker
Organisation name	Department of Planning and Environment
Full postal address	data.broker@environment.nsw.gov.au
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Responsible party role	pointOfContact

## Metadata point of contact

Contact position	Data Broker
Organisation name	Department of Planning and Environment
Full postal address	data.broker@environment.nsw.gov.au
Telephone number	131555
Email address	<a href="mailto:data.broker@environment.nsw.gov.au">data.broker@environment.nsw.gov.au</a>
Responsible party role	pointOfContact

**Metadata date** 2022-06-02T00:37:10.214372

**Metadata language**