

Title Water Modelling-Palaeo Stochastic Climate Data-Greater Sydney-Silo Station (vii of xi) ID 068021-068070

Abstract

The palaeo stochastic climate data include 10,000 replicates of 130-yr daily data sets of rainfall and potential evapotranspiration generated using observed data sets without and with combined palaeo climate data. This work has been undertaken by researchers at the University of Newcastle and used in modelling for Greater Sydney Water Strategy.

This particular Asset (068021-068070) houses Silo Station IDs:

- 068022 - DAPTO BOWLING CLUB
- 068024 - DARKES FOREST (KINTYRE)
- 068030 - MITTAGONG (HIGH RANGE)
- 068033 - MITTAGONG (KIA ORA)
- 068036 - KANGAROO VALLEY (MAIN RD)
- 068044 - MITTAGONG (ALFRED STREET)
- 068045 - MOSS VALE (HOSKINS STREET)
- 068052 - PICTON COUNCIL DEPOT
- 068054 - ROBERTSON (CAALONG STREET)

Note: If you would like to ask a question, make any suggestions, or tell us how you are using this dataset, please visit the [NSW Water Hub which has an online forum](#) you can join.

Resource locator

[Data Quality Statement](#)

Name: Data Quality Statement

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Data quality statement

Function: download

[068022_DAPTO BOWLING CLUB_Rain](#)

Name: 068022_DAPTO BOWLING CLUB_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068022 (DAPTO BOWLING CLUB); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068024_DARKES FOREST \(KINTYRE\)_Mwet](#)

Name: 068024_DARKES FOREST (KINTYRE)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068024 (DARKES FOREST (KINTYRE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068024_DARKES FOREST \(KINTYRE\)_Rain](#)

Name: 068024_DARKES FOREST (KINTYRE)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068024 (DARKES FOREST (KINTYRE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068030_MITTAGONG \(HIGH](#)

Name: 068030_MITTAGONG (HIGH RANGE)_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

[RANGE\)_FA056](#)

Description:
Paleo-Stochastic FA056 data for 3250 replicates for 068030 (MITTAGONG (HIGH RANGE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068030_MITTAGONG \(HIGH RANGE\)_Mlake](#)

Name: 068030_MITTAGONG (HIGH RANGE)_Mlake

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mlake data for 3250 replicates for 068030 (MITTAGONG (HIGH RANGE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068030_MITTAGONG \(HIGH RANGE\)_Mwet](#)

Name: 068030_MITTAGONG (HIGH RANGE)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068030 (MITTAGONG (HIGH RANGE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068030_MITTAGONG \(HIGH RANGE\)_Rain](#)

Name: 068030_MITTAGONG (HIGH RANGE)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068030 (MITTAGONG (HIGH RANGE)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068033_MITTAGONG \(KIA ORA\)_FA056](#)

Name: 068033_MITTAGONG (KIA ORA)_FA056

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FA056 data for 3250 replicates for 068033 (MITTAGONG (KIA ORA)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068033_MITTAGONG \(KIA ORA\)_Mlake](#)

Name: 068033_MITTAGONG (KIA ORA)_Mlake

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mlake data for 3250 replicates for 068033 (MITTAGONG (KIA ORA)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068033_MITTAGONG \(KIA ORA\)_Rain](#)

Name: 068033_MITTAGONG (KIA ORA)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068033 (MITTAGONG (KIA ORA)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068033_MITTAGONG \(KIA ORA\)_Mwet](#)

Name: 068033_MITTAGONG (KIA ORA)_Mwet
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068033 (MITTAGONG (KIA ORA)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068036_KANGAROO VALLEY \(MAIN RD\)_FAO56](#)

Name: 068036_KANGAROO VALLEY (MAIN RD)_FAO56
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FAO56 data for 3250 replicates for 068036 (KANGAROO VALLEY (MAIN RD)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068036_KANGAROO VALLEY \(MAIN RD\)_Mlake](#)

Name: 068036_KANGAROO VALLEY (MAIN RD)_Mlake
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mlake data for 3250 replicates for 068036 (KANGAROO VALLEY (MAIN RD)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068036_KANGAROO VALLEY \(MAIN RD\)_Rain](#)

Name: 068036_KANGAROO VALLEY (MAIN RD)_Rain
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068036 (KANGAROO VALLEY (MAIN RD)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068036_KANGAROO VALLEY \(MAIN RD\)_Mwet](#)

Name: 068036_KANGAROO VALLEY (MAIN RD)_Mwet
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068036 (KANGAROO VALLEY (MAIN RD)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068044_MITTAGONG \(ALFRED STREET\)_Rain](#)

Name: 068044_MITTAGONG (ALFRED STREET)_Rain
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068044 (MITTAGONG (ALFRED STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068044_MITTAGONG \(ALFRED STREET\)_Mwet](#)

Name: 068044_MITTAGONG (ALFRED STREET)_Mwet
Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068044 (MITTAGONG (ALFRED STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068045_MOSS VALE \(HOSKINS STREET\)_FAO56](#)

Name: 068045_MOSS VALE (HOSKINS STREET)_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FAO56 data for 3250 replicates for 068045 (MOSS VALE (HOSKINS STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068045_MOSS VALE \(HOSKINS STREET\)_Rain](#)

Name: 068045_MOSS VALE (HOSKINS STREET)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068045 (MOSS VALE (HOSKINS STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068045_MOSS VALE \(HOSKINS STREET\)_Mlake](#)

Name: 068045_MOSS VALE (HOSKINS STREET)_Mlake

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mlake data for 3250 replicates for 068045 (MOSS VALE (HOSKINS STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068045_MOSS VALE \(HOSKINS STREET\)_Mwet](#)

Name: 068045_MOSS VALE (HOSKINS STREET)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068045 (MOSS VALE (HOSKINS STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068052_PICTON COUNCIL DEPOT_Rain](#)

Name: 068052_PICTON COUNCIL DEPOT_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068052 (PICTON COUNCIL DEPOT); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068052_PICTON COUNCIL DEPOT_FAO56](#)

Name: 068052_PICTON COUNCIL DEPOT_FAO56

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FAO56 data for 3250 replicates for 068052 (PICTON COUNCIL DEPOT); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068052_PICTON COUNCIL DEPOT_Mlake](#)

Name: 068052_PICTON COUNCIL DEPOT_Mlake

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mlake data for 3250 replicates for 068052 (PICTON COUNCIL DEPOT); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068052_PICTON COUNCIL DEPOT_Mwet](#)

Name: 068052_PICTON COUNCIL DEPOT_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068052 (PICTON COUNCIL DEPOT); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068054_ROBERTSON \(CAALONG STREET\)_Rain](#)

Name: 068054_ROBERTSON (CAALONG STREET)_Rain

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Rain data for 3250 replicates for 068054 (ROBERTSON (CAALONG STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068054_ROBERTSON \(CAALONG STREET\)_FA056](#)

Name: 068054_ROBERTSON (CAALONG STREET)_FA056

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic FA056 data for 3250 replicates for 068054 (ROBERTSON (CAALONG STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[068054_ROBERTSON \(CAALONG STREET\)_Mwet](#)

Name: 068054_ROBERTSON (CAALONG STREET)_Mwet

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

Paleo-Stochastic Mwet data for 3250 replicates for 068054 (ROBERTSON (CAALONG STREET)); each with 130 year daily timeseries; including metadata and quality assurance pdfs.

Function: download

[Map View for data download](#)

Name: Map View for data download

Protocol: WWW:DOWNLOAD-1.0-http--download

Description:

All the stations in Greater Sydney area are shown in this State level map (ESRI Rest Map Service Format), and the data can be downloaded by clicking each station.

Function: download

Unique resource identifier

Code ed92e768-5843-4ecd-a0f4-55d5400026c0

Presentation form Table digital

Edition 1.0

Dataset language English

Metadata standard	
Name	ISO 19115
Edition	2016
Dataset URI	https://datasets.seed.nsw.gov.au/dataset/ed92e768-5843-4ecd-a0f4-55d5400026c0
Purpose	<p>Climate data is a fundamental input dataset required for water modelling. The stochastic climate data is 10,000 years of daily data representing the variability of the long-term climate at a location generated. The primary purpose of the stochastic climate data is to be used as input data for water modelling to analysis water related outcomes of river basins under long-term climate and inform the development of water policies, planning and strategies for water management. Climate data is a fundamental input dataset required for water modelling. Rainfall and potential evapotranspiration are the two main types of climate required for the types of water models used for water planning. Temperature data is used in some of the water models (in particular for snowmelt modelling, water demand modelling). Climate data in daily temporal resolution is used as input data to water models of varying types, purposes, and complexity. The water models transform this input data to produce a range of water related modelled data. Stochastic climate data has been generated based on observed climate dataset combined with paleo-climatic information. The observed data is downloaded from the SILO data-base of Australian climate data (https://www.longpaddock.qld.gov.au/silo/), which has climate data from 1889-present based on instrumental records at thousands of climate stations. The stochastic data are 10,000-year daily data sets of each climate data at different climate stations.</p>
Status	On going
Spatial representation type	textTable
Spatial reference system	
Code identifying the spatial reference system	4283
Spatial resolution	1 km
Additional information source	Raw data series commenced 01/01/0000 to 31/12/9999
Topic category	

Keyword set	
keyword value	WATER
Originating controlled vocabulary	
Title	ANZLIC Search Words
Reference date	2008-05-16
Geographic location	
West bounding longitude	150.2
East bounding longitude	151.5
North bounding latitude	-34.23
South bounding latitude	-33.35
NSW Place Name	Greater Sydney
Vertical extent information	
Minimum value	-100
Maximum value	2228
Coordinate reference system	
Authority code	urn:ogc:def:cs:EPSG::
Code identifying the coordinate reference system	5711
Temporal extent	
Begin position	0001-01-01
End position	N/A
Dataset reference date	
Resource maintenance	
Maintenance and update frequency	As needed
Contact info	
Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Lineage

The stochastic data are 10,000-year daily data sets at different climate stations, which were generated using observed or derived data sets combined with palaeo-logical climate data information. This work was undertaken by researchers at University of Adelaide and University of Newcastle and used in Regional Water Strategies. The stochastic data were generated region by region with spatial and temporal consistency of the data between regions maintained. Stochastic datasets were generated using the observed climate data and paleo-climatic information. The observed and derived data is downloaded from the SILO data-base of Australian climate data (<https://www.longpaddock.qld.gov.au/silo/>), which has climate data from 1889-present.

Limitations on public access

Responsible party

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Metadata point of contact

Contact position	Data Broker
Organisation name	NSW Department of Climate Change, Energy, the Environment and Water
Telephone number	131555
Email address	data.broker@environment.nsw.gov.au
Web address	https://www.nsw.gov.au/departments-and-agencies/dcceew
Responsible party role	pointOfContact

Metadata date 2024-08-20T21:36:17.016191

Metadata language